L Number		Search Text	DB	Time stamp
63	74628	318/\$.ccls.	USPAT;	2003/04/01 11:05
			US-PGPUB;	1
•			EPO; JPO;	
64	20057	255/0	DERWENT	
64	26857	355/\$.ccls.	USPAT;	2003/04/01 11:05
			US-PGPUB;	
			EPO; JPO;	
65	84940	310/\$.ccls.	DERWENT USPAT;	2003/04/01 11:06
1			US-PGPUB;	2003/04/01 11:06
	1		EPO; JPO;	
			DERWENT	
66	180644	310/\$.ccls. or 355/\$.ccls. or 318/\$.ccls.	USPAT;	2003/04/01 11:06
	1		US-PGPUB;	
	]		EPO; JPO;	
67		1, ,,	DERWENT	
67	75268	bellow	USPAT;	2003/04/01 11:06
			US-PGPUB;	
			EPO; JPO;	
68	30327	(cylindrical or cylinder or circular or	DERWENT	2002/04/01 11:00
50	30327	circle or oval) NEAR2 (magnetic or magnet	USPAT; US-PGPUB;	2003/04/01 11:06
		or ferrite)	EPO; JPO;	
			DERWENT	
69	408	bellow and ((cylindrical or cylinder or	USPAT;	2003/04/01 11:06
		circular or circle or oval) NEAR2	US-PGPUB;	-555,51,51 11.00
		(magnetic or magnet or ferrite))	EPO; JPO;	
			DERWENT	
70	33		USPAT;	2003/04/01 11:28
		circular or circle or oval) NEAR2	US-PGPUB;	
		(magnetic or magnet or ferrite))) and	EPO; JPO;	
Í		(310/\$.ccls. or 355/\$.ccls. or	DERWENT	
71	5	318/\$.ccls.)   ("4798985"   "5040431"   "5184055"	LICDATE	2002/04/01 11:10
' +	5	"5280677"   "5479145").PN.	USPAT	2003/04/01 11:10
72	7	5701041.URPN.	USPAT	2003/04/01 11:10
73	8	("3854781"   "3906262"   "4394091"	USPAT	2003/04/01 11:10
		"4628238"   "4631404"   "4652148"		
		"4667139"   "4701651").PN.		
74	8	4798985.URPN.	USPAT	2003/04/01 11:20
76	190288	(air-tight or airtight or (air adj tight)	USPAT;	2003/04/01 11:29
		or hermetically or hermetic)	US-PGPUB;	
			EPO; JPO;	
77	2450	//air_tight or airtight on /air add tight	DERWENT	2002/04/01 11 22
1 /	2459	((air-tight or airtight or (air adj tight) or hermetically or hermetic)) with bellow	USPAT; US-PGPUB;	2003/04/01 11:30
		or nermecrearry or nermecre// with beliow	EPO; JPO;	
}			DERWENT	
78	36	(((air-tight or airtight or (air adj	USPAT;	2003/04/01 11:41
		tight) or hermetically or hermetic)) with	US-PGPUB;	
	1	bellow) and (310/\$.ccls. or 355/\$.ccls. or	EPO; JPO;	
	ļ	318/\$.ccls.)	DERWENT	
79	21	(((air-tight or airtight or (air adj	USPAT;	2003/04/01 11:45
		tight) or hermetically or hermetic)) with .	US-PGPUB;	
		bellow) and ((cylindrical or cylinder or	EPO; JPO;	
		circular or circle or oval) NEAR2	DERWENT	1
1		(magnetic or magnet or ferrite))		
80	45176	((voice adj coil) or (linear)) adj	USPAT;	2003/04/01 11:59
		(actuator or motor)	US-PGPUB;	
]			EPO; JPO;	
			DERWENT	

4	
7	

		<u> </u>		
81	36	' ' '	USPAT;	2003/04/01 11:46
		(actuator or motor)) and (((air-tight or	US-PGPUB;	1
	İ	airtight or (air adj tight) or	EPO; JPO;	
		hermetically or hermetic)) with bellow))	DERWENT	
		not (((((air-tight or airtight or (air adj	1	
		tight) or hermetically or hermetic)) with		İ
		bellow) and (310/\$.ccls. or 355/\$.ccls. or		
		318/\$.ccls.)) or ((((air-tight or airtight		
		or (air adj tight) or hermetically or		1
	İ	hermetic)) with bellow) and ((cylindrical		
		or cylinder or circular or circle or oval)	i	
		NEAR2 (magnetic or magnet or ferrite))) or		
		((bellow and ((cylindrical or cylinder or		
!		circular or circle or oval) NEAR2		
	1	(magnetic or magnet or ferrite))) and		
l		(310/\$.ccls. or 355/\$.ccls. or		
0.0	1	318/\$.ccls.)))		0000/01/01 11 55
82	0		USPAT	2003/04/01 11:53
83	12199	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/04/01 12:01
		(actuator or motor)).ti.	US-PGPUB;	
			EPO; JPO;	
0.4	225	(///waisa add sail) as (lissas)) add	DERWENT	2002/04/01 12:01
84	223	((((voice adj coil) or (linear)) adj (actuator or motor)).ti.) and	USPAT;	2003/04/01 12:01
		((cylindrical or cylinder or circular or	US-PGPUB; EPO; JPO;	
		circle or oval) NEAR2 (magnetic or magnet	DERWENT	
		or ferrite))	DOMENT	
85	4	l · · · · · · · · · · · · · · · · · · ·	USPAT	2003/04/01 12:09
		"5590003").PN.		2303, 01, 01 12.03
86	5	· ·	USPAT	2003/04/01 12:09
_	40602		USPAT;	2003/03/31 11:06
		(air-tight) or (air adj tight) or	US-PGPUB;	
1		(airtight))	EPO; JPO;	
1			DERWENT	1
-	265	310/\$.ccls. and (bellow and (pressure or	USPAT;	2003/03/31 11:06
I		pressurized or (air-tight) or (air adj	US-PGPUB;	
i	1	tight) or (airtight)))	EPO; JPO;	
l			DERWENT	
-	25782		USPAT;	2003/03/31 11:08
		(air-tight) or (air adj tight) or	US-PGPUB;	
		(airtight))	EPO; JPO;	
			DERWENT	
-	134	310/\$.ccls. and (bellow SAME (pressure or	USPAT;	2003/03/31 11:09
		pressurized or (air-tight) or (air adj	US-PGPUB;	
		tight) or (airtight)))	EPO; JPO;	
	0.55.5	hall a gray to a second	DERWENT	2002/02/21 11 12
-	26710	bellow SAME (pressure or pressurized or	USPAT;	2003/03/31 11:10
ļ		(air-tight) or (air adj tight) or	US-PGPUB;	
j		(airtight) or hermeticity or hermetically	EPO; JPO;	
Ì	1	or hermetic)	DERWENT	2003/03/21 16.42
-	146	310/\$.ccls. and (bellow SAME (pressure or	USPAT;	2003/03/31 16:43
		pressurized or (air-tight) or (air adj	US-PGPUB;	
		tight) or (airtight) or hermeticity or	EPO; JPO; DERWENT	
		hermetically or hermetic)) 62144555.URPN.	USPAT	2003/03/31 11:27
_	0 26710	(bellow SAME (pressure or pressurized or	USPAT;	2003/03/31 11:27
-	20/10	(air-tight) or (air adj tight) or	US-PGPUB;	2003,03,31 13.03
		(airtight) or hermeticity or hermetically	EPO; JPO;	
		or hermetic))	DERWENT	
_	60	((bellow SAME (pressure or pressurized or	USPAT;	2003/03/31 16:50
l	"	(air-tight) or (air adj tight) or	US-PGPUB;	
ļ		(airtight) or hermeticity or hermetically	EPO; JPO;	
Ì	ľ	or hermetic))) and 318/\$.ccls.	DERWENT	
_	o	20020075469.URPN.	USPAT	2003/03/31 16:50
				<del></del>

	1			_
-	59		1	2003/03/31 16:57
-	Ī	(air-tight) or (air adj tight) or	US-PGPUB;	
İ		(airtight) or hermeticity or hermetically or hermetic))) and 355/\$.ccls.) not	EPO; JPO;	
		(((bellow SAME (pressure or pressurized or	DERWENT	
		(air-tight) or (air adj tight) or		
		(airtight) or hermeticity or hermetically		
		or hermetic))) and 318/\$.ccls.)		
-	2920	(310/\$.ccls. or 355/\$.ccls. or	USPAT;	2003/03/31 16:59
		318/\$.ccls.) and ((cylindrical or cylinder	US-PGPUB;	2003/03/31 10:39
i		or circular or circle or oval) NEAR2	EPO; JPO;	
		(magnetic or magnet or ferrite))	DERWENT	
-	13	((310/\$.ccls. or 355/\$.ccls. or	USPAT;	2003/03/31 17:14
		318/\$.ccls.) and ((cylindrical or cylinder	US-PGPUB;	
	1	or circular or circle or oval) NEAR2	EPO; JPO;	
	1	<pre>(magnetic or magnet or ferrite))) and ((bellow SAME (pressure or pressurized or</pre>	DERWENT	
		(air-tight) or (air adj tight) or		1
		(airtight) or hermeticity or hermetically		
		or hermetic)))		
-	172	1 ' ' '	USPAT;	2003/03/31 18:10
		circle or oval) NEAR2 (magnetic or magnet	US-PGPUB;	2003/03/31 18:10
	1	or ferrite)) and ((bellow SAME (pressure	EPO; JPO;	
		or pressurized or (air-tight) or (air adj	DERWENT	
		tight) or (airtight) or hermeticity or	ļ	
]	ľ	hermetically or hermetic)))) not	İ	
İ	1	(((310/\$.ccls. or 355/\$.ccls. or		
		318/\$.ccls.) and ((cylindrical or cylinder		
		or circular or circle or oval) NEAR2		
		(magnetic or magnet or ferrite))) and ((bellow SAME (pressure or pressurized or		
		(air-tight) or (air adj tight) or		1
		(airtight) or hermeticity or hermetically		
		or hermetic))))		
-	3	("4950956"   "5880034"   "6245190").PN.	USPAT	2003/03/31 17:20
_	0		USPAT	2003/03/31 17:20
-	20	5263871.URPN.	USPAT	2003/03/31 17:42
-	5	300521.ap.	USPAT;	2003/03/31 18:19
			US-PGPUB;	
	1		EPO; JPO;	i
	19	/UAA722000U   UAA077110U   UAA076115U	DERWENT	
-	19	("4473292"   "4927119"   "4976415"     "5121898"   "5193788"   "5356110"	USPAT	2003/03/31 18:11
		"5446519"   "5502899"   "5549269"		
	i	"5610686"   "5765800"   "5876012"		
		"5881987"   "5931441"   "5979882"		[
		"6021991"   "6036162"   "6082508"		
		"6170622").PN.		
-	0	6512571.URPN.	USPAT	2003/03/31 18:11
-	6	("4760996"   "4848525"   "5219051"	USPAT	2003/03/31 18:13
	_	"5249783"   "5305981"   "5318156").PN.	[.	[
-	2	5979882.URPN.	USPAT	2003/03/31 18:13
-	172	(force adj actuator).ti.	USPAT;	2003/03/31 18:19
		i	US-PGPUB;	
			EPO; JPO;	
_	5	((force adj actuator).ti.) and (((bellow	DERWENT	2002/02/21 10:47
	, ,	SAME (pressure or pressurized or	USPAT; US-PGPUB;	2003/03/31 18:47
		(air-tight) or (air adj tight) or	EPO; JPO;	
		(airtight) or hermeticity or hermetically	DERWENT	
		or hermetic))) or ((cylindrical or		
,		cylinder or circular or circle or oval)		
	ĺ	NEAR2 (magnetic or magnet or ferrite)))		
-	8	("2533187"   "2690529"   "3149255"	USPAT	2003/03/31 18:21
ļ		"4422060"   "4785816"   "4928028"	İ	
	. 1	"5434549"   "5719451").PN.		İ
-	J	5896076.URPN.	USPAT	2003/03/31 18:21
-	1791	(air adj spring).ti.	USPAT;	2003/03/31 18:47
	}		US-PGPUB;	
			EPO; JPO;	
			DERWENT	

4	
Ţ	

		<b>1</b>		
-	2		USPAT;	2003/03/31 18:49
		or cylinder or circular or circle or oval).	US-PGPUB;	
1		NEAR2 (magnetic or magnet or ferrite))	EPO; JPO;	
			DERWENT	
-	2130	1 (women with throughts of brookerized Of	USPAT;	2003/03/31 18:55
į		(air-tight) or (air adj tight) or	US-PGPUB;	
	İ	(airtight) or hermeticity or hermetically	EPO; JPO;	
	1	or hermetic)).ti.	DERWENT	İ
-	93		USPAT;	2003/03/31 19:04
		(air-tight) or (air adj tight) or	US-PGPUB;	İ
		(airtight) or hermeticity or hermetically	EPO; JPO;	
		or hermetic)).ti.) and (magnet or magnetic	DERWENT	
	1400616	or ferrite)		
-	1488616		USPAT;	2003/03/31 19:03
	İ	semiconductor lithographic	US-PGPUB;	
			EPO; JPO;	
_	2594	(/hellow SAME (prossure or prossure)	DERWENT	0000 /00 /51
	23,4	((bellow SAME (pressure or pressurized or (air-tight) or (air adj tight) or	USPAT;	2003/03/31 19:03
		(airtight) or hermeticity or hermetically	US-PGPUB;	
		or hermetic))) and (fabrication or wafer	EPO; JPO;	
		or lithography or semiconductor	DERWENT	
		lithographic)		-
_	3050749		HCDATT.	2002/02/21 10:02
	3000,15	(air adj tight) or (airtight) or	USPAT; US-PGPUB;	2003/03/31 19:03
		hermeticity or hermetically or hermetic)	EPO; JPO;	
	1	desired to the second of the s	DERWENT	
_	767	(((bellow SAME (pressure or pressurized or	USPAT;	2003/03/31 19:04
		(air-tight) or (air adj tight) or	US-PGPUB;	2003/03/31 19.04
		(airtight) or hermeticity or hermetically	EPO; JPO;	
		or hermetic))) and (fabrication or wafer	DERWENT	
		or lithography or semiconductor		
1		lithographic)) and (magnet or magnetic or		
		ferrite)		
-	329	((((bellow SAME (pressure or pressurized	USPAT;	2003/03/31 19:20
İ	]	or (air-tight) or (air adj tight) or	US-PGPUB;	
	] [	(airtight) or hermeticity or hermetically	DERWENT	
		or hermetic))) and (fabrication or wafer		
1		or lithography or semiconductor		
		lithographic)) and (magnet or magnetic or		
	,	ferrite)) and stage		
_	45	((((bellow SAME (pressure or pressurized	USPAT;	2003/03/31 19:35
		or (air-tight) or (air adj tight) or	US-PGPUB;	
		(airtight) or hermeticity or hermetically	DERWENT	
		or hermetic))) and (fabrication or wafer or lithography or semiconductor		
		lithographic)) and (magnet or magnetic or .		
		ferrite)) and (310/\$.ccls. or 355/\$.ccls.		
		or 318/\$.ccls.)		İ
_	1 1	(5765800.pn.) and magnetic	HCDATT.	2002/02/21 10:25
	*	(5.0000.pir.) and magnetic	USPAT; US-PGPUB;	2003/03/31 19:35
	[			
	L		DERWENT	i